search

Due to network maintenance, Dialog DataStar will not be available on Saturday, March 5, 2005 between 12:00 a.m. - 1:00 p.m. GMT.



| Dialeg | DataS | tar _e | | | |
|---|--------|------------------|---|-------------------------------------|---------|
| options | logaff | feedback | help | | |
| | | | | (trival cases) (2.27) | |
| *************************************** | | | | earch: INSPEC - 1969 to date (INZZ) | |
| ····· | ······ | | *************************************** | | ******* |

Search history:

| No. | Database | Search term | Info added since | Results | |
|-----|----------|---|------------------|---------|-------------|
| 1 | INZZ | electrophoretic\$1 | unrestricted | 2156 | show titles |
| 2 | INZZ | electrophoretic\$1 AND (lyophobic OR lyophobicity OR lyophilic OR lyophilicity) | unrestricted | 0 | - |

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips

| | whole document |
|--|----------------|
| Information added since: or: none (YYYYMMDD) | |
| | |
| Select special search terms from the following list(| (s): |
| Classification codes A: Physics, 0-1 | |
| Classification codes A: Physics, 2-3 | |
| Classification codes A: Physics, 4-5 | |
| Classification codes A: Physics, 6 | |
| Classification codes A: Physics, 7 | |
| Classification codes A: Physics, 8 | |
| Classification codes A: Physics, 9 | |
| Classification codes B: Electrical & Electronics, | 0-5 |
| Classification codes B: Electrical & Electronics, | 6-9 |
| Classification codes C: Computer & Control | |
| Classification codes D: Information Technology | у |
| Classification codes E: Manufacturing & Produc | ction |

Updated Search Query Case No. 10/666,720

| 2 | electrophoretic with lyophobic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDE |
|------|--|--|
| | electrophoretic and (microcapsule\$1 with disperse\$1 with (select\$2 or desire\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDE |
| 0 | (364/4).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE |
| 0 | (364/4.1).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE |
| 488 | (264/4).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD |
| 807 | (264/4.1).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD |
| 400 | (359/296).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD |
| 317 | (345/107).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDI |
| 1178 | (264/4.1,4.3).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDI |
| 1 | electrophoretic and (microcapsule\$1 with disperse\$1 with (select\$2 or desire\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDI |
| 2 | electrophoretic with lyophobic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDI |
| 1 | electrophoretic with lyophilic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD |

| 1756 | ((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|------|---|--|
| 121 | (((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (method with electrophoretic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 1 | ((((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (method with electrophoretic)) and lyophobic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 1 | (((((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (method with electrophoretic)) and lyophilic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | (((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (microcapsule\$1 with disperse\$1 with (select\$2 or desire\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 0 | (((((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (method with electrophoretic)) and (microcapsule\$1 with disperse\$1 with (select\$2 or desire\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | (((((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (method with electrophoretic)) and (microcapsule\$1 with disperse\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 400 | (359/296).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 84 | ((359/296).CCLS.) and (method with electrophoretic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 48 | (((359/296).CCLS.) and (method with electrophoretic)) and microcapsule\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2099 | ((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 494 | (((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (electrophoretic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

•

| 2 | (((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (electrophoretic) and lyophobic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|-------|--|---|
| 2 | (((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (electrophoretic) and lyophobic\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | (((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (electrophoretic) and lyophilic\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | (((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (microcapsule\$1 with disperse\$1 with (select\$2 or desire\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 94 | ((((359/296).CCLS.) or ((345/107).CCLS.) or ((264/4.1,4.3).CCLS.)) and (electrophoretic)) and (microcapsule\$1 with disperse\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 1 | ("6654159").PN. | USPAT; USOCR |
| | ("6654159").PN. | USPAT; USOCR |
| | electrophoretic and (jack adj dinh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 0 | electrophoretic\$1 and (jack adj dinh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39068 | electrophoretic\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 84 | electrophoretic\$1 and (dinh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | electrophoretic\$1 and (jack with dinh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3528 | ((359/296,254,316).CCLS.) or ((345/107,108,111).CCLS.) or ((264/4.1,4.3).CCLS.) or ((430/35).CCLS.) or ((252/572).CCLS.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 587 | S37 and (electrophoretic\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| 119 | S37 and (electrophoretic) and (microcapsule\$1 with disperse\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|-----|---|---|
| 267 | (electrophoretic) and (microcapsule\$1 with disperse\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 54 | electrophoretic\$1 and (lyophobic or lyophobicity or lyophilic or lyophilicity) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | S37 and S41 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 269 | (electrophoretic\$) and (microcapsule\$1 with disperse\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | S43 and (lyophobic or lyophobicity or lyophilic or lyophilicity) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

.

Search Results Case No. 10/666,720

| US 6118426 A | USPAT | Transducers and indicators having printed | 345/107 |
|---|----------|---|----------|
| US 6252564 B1 | USPAT | Tiled displays | 345/1.3 |
| US 6392678 B1 | USPAT | Electrophoretic printing method and | 347/112 |
| | | electrophoretic printer | • |
| US 6392786 B1 | USPAT | Electrophoretic medium provided with | 359/296 |
| US 6400492 B1 | USPAT | Electrophoretic display liquid, and | 359/296 |
| | | electrophoretic display medium, method | |
| | | and device using the liquid | |
| US 6542284 B2 | USPAT | Display device and manufacturing method | 359/296 |
| US 6618188 B2 | USPAT | Rewritable display sheet, image forming | 359/296 |
| | 1 | apparatus for displaying image on | |
| | 1 | rewritable display sheet, and image | |
| US 6654159 B2 | USPAT | Method for manufacturing electrophoretic | 359/296 |
| | | device and method for manufacturing | |
| US 6693620 B1 | USPAT | Threshold addressing of electrophoretic | 345/107 |
| US 6781745 B2 | USPAT | Electrophoretic display with gating | 359/296 |
| US 6781762 B2 | USPAT | Method of manufacturing microlens, | 359/619 |
| | | microlens, microlens array plate, | |
| | İ | electrooptic device and electronic | |
| US 6795229 B2 | USPAT | Electrophoretic display with sub relief | 359/296 |
| | | structure for high contrast ratio and | • |
| | | improved shear and/or compression | |
| US 20020181071 A | DERWENT | Electrophoretic device manufacturing | |
| | | method for display of video tape recorder, | |
| | | involves applying microcapsule dispersion | |
| | | to electrode layer having lyophobic layer | |
| US 20040061921 A | DERWENT | Electrophoretic device, e.g. display, has | |
| | | lyophobic layer in which microcapsules | |
| | 1 | containing binder are dispersed at desired | |
| | | region and uniformly applied to electrode | |
| US 20020149835 A1 | US-PGPUB | Electrophoretic display, method for making | 359/296 |
| | | the electrophoretic display, and electronic | |
| US 20020181071 A1 | US-PGPUB | Method for manufacturing electrophoretic | 359/296 |
| | | device and method for manufacturing | |
| US 20030025985 A1 | US-PGPUB | Electro-optical device, electronic apparatus, | 359/296 |
| | | method for forming a colored layer, and | |
| | | method for manufacturing the electro- | |
| US 20030058521 A1 | US-PGPUB | Electrophoretic device, electronic | 359/296 |
| | | apparatus, and manufacturing method for | |
| | | the electrophoretic device | |
| US 20030063369 A1 | US-PGPUB | Electrophoretic device, method for | 359/296 |
| <u> </u> | | manufacturing electrophoretic device, and | |
| US 20030067666 A1 | US-PGPUB | Electrophoretic device, method for driving | 359/296 |
| | | electrophoretic device, circuit for driving | |
| 110.000.000 | | electrophoretic device, and electronic | 050/225 |
| US 20030086149 A1 | US-PGPUB | Electrophoretic device, method of | 359/296 |
| | | manufacturing the same, electronic | |
| 110 00000 ::::::::::::::::::::::::::::: | | apparatus, microcapsule, and method of | 0.45::55 |
| US 20030132908 A1 | US-PGPUB | Electrophoretic ink composed of particles | 345/107 |
| | L | with field dependent mobilities | |

| US 20040061921 A1 | US-PGPUB | Electrophoretic device | 359/265 |
|-------------------|----------|------------------------|---------|
| | | | |